

Features found in the Sat4j's code assets

- + INTERFACE org.sat4j.specs.SearchListener org.sat4j.specs searchlistener/user
- + CLASS org.sat4j.specs.FakeConstr org.sat4j.specs constraint/user
- + INTERFACE org.sat4j.specs.IConstr org.sat4j.specs constraint/user
- + INTERFACE org.sat4j.specs.ISolver org.sat4j.specs solver/user
- + INTERFACE org.sat4j.specs.UnitClauseProvider org.sat4j.specs unitclauseprovider/expert
- + CLASS org.sat4j.specs.SearchListenerAdapter org.sat4j.specs searchlistener/user
- + INTERFACE org.sat4j.specs.Constr org.sat4j.specs constraint/expert
- + CLASS org.sat4j.tools.Minimal4CardinalityModel org.sat4j.tools solver/user
- + CLASS org.sat4j.tools.GroupClauseSelectorSolver org.sat4j.tools solver/user
- + CLASS org.sat4j.tools.FullClauseSelectorSolver org.sat4j.tools solver/user
- + CLASS org.sat4j.tools.NegationDecorator org.sat4j.tools solver/user
- + CLASS org.sat4j.tools.CheckMUSSolutionListener org.sat4j.tools solutionlistener/user
- + CLASS org.sat4j.tools.ModelIterator org.sat4j.tools solver/user
- + CLASS org.sat4j.tools.LexicoDecorator org.sat4j.tools solver/user
- + CLASS org.sat4j.tools.GateTranslator org.sat4j.tools solver/user
- + CLASS org.sat4j.tools.TextOutputTracing org.sat4j.tools searchlistener/user
- + CLASS org.sat4j.tools.DecisionLevelTracing org.sat4j.tools searchlistener/user
- + CLASS org.sat4j.tools.StatisticsSolver org.sat4j.tools solver/user
- + CLASS org.sat4j.tools.SearchMinOneListener org.sat4j.tools searchlistener/user
- + CLASS org.sat4j.tools.Minimal4InclusionModel org.sat4j.tools solver/user
- + CLASS org.sat4j.tools.DimacsOutputSolver org.sat4j.tools solver/user
- + CLASS org.sat4j.tools.SingleSolutionDetector org.sat4j.tools solver/user
- + CLASS org.sat4j.tools.OptToSatAdapter org.sat4j.tools solver/user
- + CLASS org.sat4j.tools.LearnedTracing org.sat4j.tools searchlistener/user
- + CLASS org.sat4j.tools.ConflictDepthTracing org.sat4j.tools searchlistener/user
- + CLASS org.sat4j.tools.LearnedClauseSizeTracing org.sat4j.tools searchlistener/user
- + INTERFACE org.sat4j.tools.SolutionFoundListener org.sat4j.tools solutionlistener/user

+ CLASS org.sat4j.tools.LBDTracing org.sat4j.tools searchlistener/user

+ CLASS org.sat4j.tools.DimacsStringSolver org.sat4j.tools solver/user

+ CLASS org.sat4j.tools.ManyCore org.sat4j.tools solver/user

+ METHOD provideUnitClauses(org.sat4j.specs.UnitPropagationListener) org.sat4j.tools.ManyCore unitclauseprovider/expert

+ CLASS org.sat4j.tools.DotSearchTracing org.sat4j.tools searchlistener/user

+ CLASS org.sat4j.tools.SearchEnumeratorListener org.sat4j.tools searchlistener/user

+ CLASS org.sat4j.tools.SpeedTracing org.sat4j.tools searchlistener/user

+ CLASS org.sat4j.tools.HeuristicsTracing org.sat4j.tools searchlistener/user

+ CLASS org.sat4j.tools.MultiTracing org.sat4j.tools searchlistener/user

+ CLASS org.sat4j.tools.ConflictLevelTracing org.sat4j.tools searchlistener/user

+ CLASS org.sat4j.tools.DecisionTracing org.sat4j.tools searchlistener/user

+ CLASS org.sat4j.tools.ClausalCardinalitiesDecorator org.sat4j.tools solver/user

+ CLASS org.sat4j.tools.LearnedClausesSizeTracing org.sat4j.tools searchlistener/user

+ CLASS org.sat4j.tools.RupSearchListener org.sat4j.tools searchlistener/user

+ CLASS org.sat4j.tools.SolutionCounter org.sat4j.tools solver/user

+ CLASS org.sat4j.minisat.restarts.MiniSATRestarts org.sat4j.minisat.restarts restarts/expert

+ CLASS org.sat4j.minisat.restarts.NoRestarts org.sat4j.minisat.restarts restarts/expert

+ CLASS org.sat4j.minisat.restarts.LubyRestarts org.sat4j.minisat.restarts restarts/expert

+ CLASS org.sat4j.minisat.restarts.EMARestarts org.sat4j.minisat.restarts restarts/expert

+ CLASS org.sat4j.minisat.restarts.ArminRestarts org.sat4j.minisat.restarts restarts/expert

+ CLASS org.sat4j.minisat.restarts.FixedPeriodRestarts org.sat4j.minisat.restarts restarts/expert

+ CLASS org.sat4j.minisat.restarts.Glucose21Restarts org.sat4j.minisat.restarts restarts/expert

+ CLASS org.sat4j.minisat.constraints.card.MinWatchCard org.sat4j.minisat.constraints.card constraint/user

+ CLASS org.sat4j.minisat.constraints.card.MaxWatchCard org.sat4j.minisat.constraints.card constraint/user

+ CLASS org.sat4j.minisat.constraints.card.AtLeast org.sat4j.minisat.constraints.card constraint/user

+ CLASS org.sat4j.minisat.constraints.xor.Xor org.sat4j.minisat.constraints.xor constraint/user

+ CLASS org.sat4j.minisat.constraints.cnf.UnitClauses org.sat4j.minisat.constraints.cnf constraint/user

+ CLASS org.sat4j.minisat.constraints.cnf.CBClause org.sat4j.minisat.constraints.cnf constraint/user

+ CLASS org.sat4j.minisat.constraints.cnf.HTClause org.sat4j.minisat.constraints.cnf constraint/user

+ CLASS org.sat4j.minisat.constraints.cnf.UnitClause org.sat4j.minisat.constraints.cnf constraint/user

+ CLASS org.sat4j.minisat.constraints.cnf.OriginalHTClause org.sat4j.minisat.constraints.cnf constraint/user

+ CLASS org.sat4j.minisat.constraints.cnf.LearntWLClaue org.sat4j.minisat.constraints.cnf constraint/user

+ CLASS org.sat4j.minisat.constraints.cnf.BinaryClauses org.sat4j.minisat.constraints.cnf constraint/user

+ CLASS org.sat4j.minisat.constraints.cnf.WLClaue org.sat4j.minisat.constraints.cnf constraint/user

+ CLASS org.sat4j.minisat.constraints.cnf.OriginalWLClaue org.sat4j.minisat.constraints.cnf constraint/user

+ CLASS org.sat4j.minisat.constraints.cnf.LearntBinaryClause org.sat4j.minisat.constraints.cnf constraint/user

+ CLASS org.sat4j.minisat.constraints.cnf.LearntHTClause org.sat4j.minisat.constraints.cnf constraint/user

+ CLASS org.sat4j.minisat.constraints.cnf.OriginalBinaryClause org.sat4j.minisat.constraints.cnf constraint/user

+ CLASS org.sat4j.minisat.constraints.cnf.BinaryClause org.sat4j.minisat.constraints.cnf constraint/user

+ CLASS org.sat4j.minisat.orders.SubsetVarOrder org.sat4j.minisat.orders varheuristics/expert

+ CLASS org.sat4j.minisat.orders.PositiveLiteralSelectionStrategy org.sat4j.minisat.orders phaseheuristics/expert

+ CLASS org.sat4j.minisat.orders.RandomLiteralSelectionStrategy org.sat4j.minisat.orders phaseheuristics/expert

+ CLASS org.sat4j.minisat.orders.UserFixedPhaseSelectionStrategy org.sat4j.minisat.orders phaseheuristics/expert

+ CLASS org.sat4j.minisat.orders.OrientedOrder org.sat4j.minisat.orders varheuristics/expert

+ CLASS org.sat4j.minisat.orders.PureOrder org.sat4j.minisat.orders varheuristics/expert

+ CLASS org.sat4j.minisat.orders.NaturalStaticOrder org.sat4j.minisat.orders varheuristics/expert

+ CLASS org.sat4j.minisat.orders.VarOrderHeap org.sat4j.minisat.orders varheuristics/expert

+ CLASS org.sat4j.minisat.orders.RSATPhaseSelectionStrategy org.sat4j.minisat.orders phaseheuristics/expert

+ CLASS org.sat4j.minisat.orders.LevelBasedVarOrderHeap org.sat4j.minisat.orders varheuristics/expert

+ CLASS org.sat4j.minisat.orders.PhaseCachingAutoEraseStrategy org.sat4j.minisat.orders phaseheuristics/expert

+ CLASS org.sat4j.minisat.orders.NegativeLiteralSelectionStrategy org.sat4j.minisat.orders phaseheuristics/expert

+ CLASS org.sat4j.minisat.orders.RandomWalkDecorator org.sat4j.minisat.orders varheuristics/expert

+ CLASS org.sat4j.minisat.orders.PhaseInLastLearnedClauseSelectionStrategy org.sat4j.minisat.orders phaseheuristics/expert

+ CLASS org.sat4j.minisat.orders.TabuListDecorator org.sat4j.minisat.orders varheuristics/expert

+ CLASS org.sat4j.minisat.orders.RSATLastLearnedClausesPhaseSelectionStrategy org.sat4j.minisat.orders phaseheuristics/expert

+ INTERFACE org.sat4j.minisat.core.ISimplifier org.sat4j.minisat.core simplifications/expert

+ FIELD NO_SIMPLIFICATION org.sat4j.minisat.core.Solver simplifications/expert

+ FIELD SIMPLE_SIMPLIFICATION org.sat4j.minisat.core.Solver simplifications/expert

+ FIELD EXPENSIVE_SIMPLIFICATION org.sat4j.minisat.core.Solver simplifications/expert

+ FIELD EXPENSIVE_SIMPLIFICATION_WLONLY org.sat4j.minisat.core.Solver simplifications/expert

+ METHOD fixedSize(int) org.sat4j.minisat.core.Solver deletion/expert

+ CLASS org.sat4j.minisat.core.SizeLCDS org.sat4j.minisat.core deletion/expert

+ INTERFACE org.sat4j.minisat.core.RestartStrategy org.sat4j.minisat.core restarts/expert

+ CLASS org.sat4j.minisat.core.ActivityLCDS org.sat4j.minisat.core deletion/expert

+ CLASS org.sat4j.minisat.core.AgeLCDS org.sat4j.minisat.core deletion/expert

+ INTERFACE org.sat4j.minisat.core.IPhaseSelectionStrategy org.sat4j.minisat.core phaseheuristics/expert

+ INTERFACE org.sat4j.minisat.core.IOrder org.sat4j.minisat.core varheuristics/expert

+ CLASS org.sat4j.minisat.core.Glucose2LCDS org.sat4j.minisat.core deletion/expert

+ INTERFACE org.sat4j.minisat.core.LearnedConstraintsDeletionStrategy org.sat4j.minisat.core deletion/expert

+ INTERFACE org.sat4j.minisat.core.LearningStrategy org.sat4j.minisat.core learning/expert

+ CLASS org.sat4j.minisat.core.GlucoseLCDS org.sat4j.minisat.core deletion/expert

+ CLASS org.sat4j.minisat.learning.NoLearningButHeuristics org.sat4j.minisat.learning learning/expert

+ CLASS org.sat4j.minisat.learning.PercentLengthLearning org.sat4j.minisat.learning learning/expert

+ CLASS org.sat4j.minisat.learning.ActiveLearning org.sat4j.minisat.learning learning/expert

- + CLASS org.sat4j.minisat.learning.FixedLengthLearning org.sat4j.minisat.learning learning/expert
- + CLASS org.sat4j.minisat.learning.NoLearningNoHeuristics org.sat4j.minisat.learning learning/expert
- + CLASS org.sat4j.minisat.learning.MiniSATLearning org.sat4j.minisat.learning learning/expert
- + CLASS org.sat4j.minisat.learning.ClauseOnlyLearning org.sat4j.minisat.learning learning/expert
- + CLASS org.sat4j.reader.DimacsReader org.sat4j.reader reader/expert
- + CLASS org.sat4j.reader.AAGReader org.sat4j.reader reader/expert
- + CLASS org.sat4j.reader.AIGReader org.sat4j.reader reader/expert
- + CLASS org.sat4j.reader.Reader org.sat4j.reader reader/expert
- + CLASS org.sat4j.reader.GroupedCNFReader org.sat4j.reader reader/expert
- + CLASS org.sat4j.reader.InstanceReader org.sat4j.reader reader/expert
- + CLASS org.sat4j.reader.LecteurDimacs org.sat4j.reader reader/expert
- + CLASS org.sat4j.reader.JSONReader org.sat4j.reader reader/expert
- + CLASS org.sat4j.opt.MaxSatDecorator org.sat4j.opt solver/user
- + CLASS org.sat4j.opt.MinOneDecorator org.sat4j.opt solver/user
- + CLASS org.sat4j.OptimizationMode org.sat4j solutionlistener/user
- + CLASS org.sat4j.DecisionMode org.sat4j solutionlistener/user
- + CLASS org.sat4j.core.ConstrGroup org.sat4j.core constraint/user